





Features & Benefits

The EnduraView Door System is a highly efficient door product, featuring SUNshield manufacturing process and formulated to withstand the harsh effects of weather and ultraviolet light. This environmentally safe material developed through an intensive compound exceeds all required material Technology. SUNshield is an advanced standards for strength.

- A Fully fusion welded corners offer rigid long lasting performance.
- B 100% virgin vinyl featuring SUNshield® Technology for superior material integrity.
- offers reduced air infiltration keeping you comfortable and safe inside your home. C Full interlock at the meeting rail
- Ω Σ ٩

installation. Can be easily removed for D Standard with a nail fin for easy remodeling applications.

- E Stationary panel is direct set making the EnduraView door an easier installation.
- F Field reversible prior to installation. Great for when your plans change.
- G 3/4" insulated glass sealed with Super Spacer offers great thermal performance.
 - contoured "fish mouth" construction for a H When grids are required we use more authentic look.
- I Aluminum sill tracks for superior strength provides an area to scrape off dirt, keeping and longevity. This grooved walking plate your home cleaner.
- J Operable Sash and Screen are fully adjustable for smooth operation.
- K Sleek and stylish handle to match well to your homes decor.


Flat (optional)

Contoured Fish Mouth

security bar for added peace of mind and L Available options of foot bolt and/or safety.

Sizes & Operation





95.5" X 79.5"

XO, OX 8068 PD

XO, OX 6068 PD 71.5" X 79.5"

59.5" X 79.5"

XO, OX 5068 PD

X - OPERATIONING PANEL O - FIXED PANEL NOTE: 3 panel doors consist of a door with mulled sidelite. All door operations are viewed outside looking in.

XOO, OXO, OOX12068 PD 143.25" X 79.5"

xoo, oxo, oox 107.25" X 79.5"


9068 PD


Options

Available Colors [*Exterior only]

Grid Patterns

Due to printing actual color Desert Sand Solid Vinyl More colors available upon request. may vary. 'Chocolate Solid Vinyl Bronze







Prairie (optional)

handle made of extruded with integral

made of extruded aluminum

Upgrade screen

Standard screen aluminum



Screen Options

I


Grid Styles

15 Lite Colonial Standard on 6' & 9' doors

Comfort

Warm edge technology is more than just a low conductive product that helps make a window more thermally efficient. The warm edge spacer is the actual seal that keeps the glass package in a door from failing.







Less energy transfer thru NO-Metal Super Spacer®

There are two types of systems on the market today: single seal and dual seal systems. Single seal units are constructed of only one (1) type of

sealant, which is called upon to perform double duty. Not only must the sealant retard the infiltration of moisture, but it must also hold the glass unit together under a wide variety of both high and low temperatures while withstanding the effects of high humidity and ultraviolet exposure.

All EnduraView Doors use Super Spacer® dual seal insulating glass system. This NO-metal, structural foam spacer clearly resists condensation, reduces energy costs, provides long-life durability and adds both comfort and value to your home.

As a Health Smart® Door made with Super Spacer®, EnduraView minimizes concerns about harmful mold, bacteria, viruses, allergens,



and mites by reducing condensation and stabilizing household humidity at optimum levels.

Longevity

National Vinyl LLC was founded by Ben Surner and Stephen Fellers with the simple premise to make the best windows at a fair price and provide the best value and service in the industry. Their partnership formed in 1963 when Ben became 50% owner in Stephens' gas and service station. Since then they have been 50-50 partners in every business they've formed. National Vinyl LLCs' ownership brings nearly 70 years of fenestration experience. Having

built interior storm panels as early as 1978 and vinyl windows in 1984, Ben and Steve have been innovative leaders in home energy savings.

All of us at National Vinyl LLC thank you for the opportunity to provide our quality windows and doors for your home. We understand that in today's market there are many choices and the decision to buy windows and doors is one that needs only to be made once. That is why we are so confident that given the chance you will be completely satisfied with your decision to use National Vinyl in your home.

Warranty

- Lifetime Limited Warranty on all vinyl
- 10 Year Limited Warranty on all paint and laminate
- 10 Year Limited Warranty on sealed glass units
- 5 Year Limitied Warranty on hardware

*See official Warranty for exact details.

National Vinyl, LLC 7 Coburn Street, Chicopee, MA 01013 413-420-0548 www.nvpwindows.com



Performance ratings:

Glass Options	Unit U-Value w/ Low-E & Argon Gas	Solar Heat Gain Coefficient	Visible Transmittance
Low-E Argon No Grid	.28	.30	.55
Low-E Argon With Grids	.28	.27	.49



A T	,	
	Em tor	ONAL VINYL LLC fureView Perio Door of from, Deute grates, if ceating (sed Ch. 62), regulate filestification 804-6,0 (grates) and
U-Factor ()	Name and Address of the Owner, where	MANCE RATINGS Solar Heat Gain Coefficient
0.28		0.27
U.4	NAV STOR	ORMANCE RATINGS
	NAL PERF	
	unittance	

The name and logo of Deceuninck, or its affiliated companies and the products and services manufactured by them, are trade-marks protected by national and international laws.